

Vaccine	Brand Name	Manufacturer	Thimerosal Concentration ¹	Mercury mcg/0.5 ml	
Anthrax	BioThrax	BioPort Corporation	0	0	
DTaP	Tripedia	sanofi pasteur	*	*	
	Infanrix	GlaxoSmithKline	0	0	
	DAPTACEL	sanofi pasteur	0	0	
DTaP-HepB-IPV	Pediarix	GlaxoSmithKline	0	0	
DTaP-Hib	TriHIBit	sanofi pasteur	*	*	
DTwP	All Products		.01%	25	
DT	Diphtheria & Tetanus Toxoids multi-dose	sanofi pasteur	.01%	25	
	Adsorbed USP single dose		*	*	
Td	DECAVAC	sanofi pasteur	*	*	
	Tetanus and Diphtheria Toxoids Adsorbed	sanofi pasteur	*	*	
Tdap	ADACEL	sanofi pasteur	0	0	
	Boostrix	GlaxoSmithKline	0	0	
Tetanus Toxoid	Tetanus Toxoid Adsorbed USP	sanofi pasteur	.01%	25	
	Tetanus Toxoid Adsorbed Adult Use		.01%	25	
	Booster		.01%	25	
Hib	ActHIB	sanofi pasteur	*	*	
	HibTITER	Wyeth-Ayerst	0	0	
	PedvaxHIB liquid(2)	Merck	0	0	
Hib/HepB	Comvax (3)	Merck	0	0	
Hepatitis A	Havrix	GlaxoSmithKline	0	0	
	Vaqta adult/pediatric	Merck	0	0	
Hepatitis B	Engerix-B preservative free	GlaxoSmithKline	0	0	
	Recombivax HB preservative free	Merck	0	0	
Hep A-B	Twinrix	GlaxoSmithKline	0	0	
HPV	Gardasil	Merck	0	0	
Influenza 2006/7 Formula	Afluria	multi-dose	CSL Limited	.01%	24.5
		single dose		0	0
	Fluarix	GlaxoSmithKline	*	*	
	FluLaval	GlaxoSmithKline	.01%	25	
	FluMist	MedImmune	0	0	
	Fluvirin	Novartis	.01%	24.5	
	Fluzone 5 mL vial	sanofi pasteur	.01%	25	
Fluzone No Preservative	n		n		
IPV	IPOL	sanofi pasteur	0	0	
Meningococcal	Menactra	sanofi pasteur	0	0	
	MENOMUNE-A/C/Y/W-135	multi-dose	.01%	25	
		single dose	0	0	
MMR	M-M-R II	Merck	0	0	
MMR-Varicella	ProQuad	Merck	0	0	
Polio	IPOL	sanofi pasteur	0	0	
Pneumococcal	Prenvar	Wyeth-Ayerst	0	0	
	Pneumovax 23	Merck	0	0	
Rabies	RabAvert	Chiron	0	0	
	IMOVAX	sanofi pasteur	0	0	
Rotavirus	RotaTeq	Merck	0	0	
Typhoid Fever	Typhim Vi	sanofi pasteur	0	0	
	Vivotif	Berna Biotch	0	0	
Varicella Zoster	Varivax	Merck	0	0	
	Zostavax	Merck	0	0	
Yellow Fever	YF-VAX	sanofi pasteur	0	0	

1. A concentration of 1:10,000 is equivalent to a 0.01% concentration. Thimerosal is approximately 50% Hg by weight. A 1:10,000 concentration contains 25 mcg of Hg per 0.5 mL.
 2. A previously marketed lyophilized preparation contained 0.005% thimerosal.
 3. COMVAX is not approved for use under 6 weeks of age because of decreased

response to the Hib component.
 * This product should be considered equivalent to thimerosal-free products. This vaccine may contain trace amounts (<0.3 mcg) of mercury left after post-production thimerosal removal; these amounts have no biological effect. JAMA 1999;282(18) and JAMA 2000;283(16).